

References

1. A. Bansal, H. Liu, M.K.G. Jayakumar, S. Andersson-Engels and Y. Zhang, "Quasi-continuous wave near-infrared excitation of upconversion nanoparticles for optogenetic manipulation of *C. elegans*", *Small* **12**(13). 1732-1743 (2016). Doi: <https://doi.org/10.1002/smll.201503792>
2. S. Andersson-Engels and P.E. Andersen, "Selected Topics in Biophotonics: Photoacoustic Tomography and Fiber-Based Lasers and Supercontinuum Sources", *J. Biomed. Opt.* **21**.(6), 061001 (2016) Doi: <https://doi.org/10.1117/1.JBO.21.6.061001>
3. M. Mousavi, B. Thomasson, M. Li, M. Kraft, C. Würth, U. Resch-Genger and S. Andersson-Engels, "Beam-profile-compensated quantum yield measurements of upconverting nanoparticles" *Phys. Chem. Chem. Phys* **19** (33), 22016-22022 (2017). Doi: <https://doi.org/10.1039/C7CP03785F>
4. J. Larsson, P. Liao, P. Lundin, E. Krite Svanberg, J. Swartling, M. Lewander Xu, J. Bood and S. Andersson-Engels, "Development of a 3-dimensional tissue lung phantom of a preterm infant for optical measurements of oxygen—Laser-detector position considerations", *J. Biophotonics* **11** (3), (2017). Doi: <https://doi.org/10.1002/jbio.201700097>
5. J. E. Gunther and S. Andersson-Engels, "Review of current methods of acousto-optical tomography for biomedical applications", *Front. Optoelectron.* **10**, 211–238 (2017). Doi: <https://doi.org/10.1007/s12200-017-0718-4>
6. A. Walther, L. Rippe, L.V. Wang, S. Andersson-Engels and S. Kröll, "Analysis of the potential for non-invasive imaging of oxygenation at heart depth, using ultrasound optical tomography (UOT) or photo-acoustic tomography (PAT)", *Biomed. Opt. Express* **8**, 4523-4536 (2017). Doi: <https://doi.org/10.1364/BOE.8.004523>
7. C. Viphavakit, S. O'Keeffe, M. Yang, S. Andersson-Engels and E. Lewis, "Gold enhanced hemoglobin interaction in a Fabry-Perot based optical fiber sensor for measurement of blood refractive index", *Journal of Lightwave Technology* **36** (4) 1118 – 1124 (2018). <http://hdl.handle.net/10344/10124>
8. J. Larsson, P. Liao, P. Lundin, E. Krite Svanberg, J. Swartling, M. Lewander Xu, J. Bood and S. Andersson-Engels, "Development of a 3-dimensional tissue lung phantom of a preterm infant for optical measurements of oxygen—Laser-detector position considerations", *J. Biophotonics* **11** (3) e201870134 (2018). Doi: <https://doi.org/10.1002/jbio.201700097>
9. J. E. Gunther, A. Walther, L. Rippe, S. Kröll and S. Andersson-Engels, "Deep tissue imaging with acousto-optical tomography and spectral hole burning with slow light effect: a theoretical study", *J. Biomed. Opt.* **23** (7) 071209 (2018). Doi: <https://doi.org/10.1117/1.JBO.23.7.071209>
10. P. Liao, J. Larsson, E. Krite Svanberg, P. Lundin, J. Swartling, M. Lewander Xu, J. Bood and S. Andersson-Engels, "Computer simulation analysis of source-detector position for percutaneously measured O₂-gas signal in a three-dimensional preterm infant lung", *J Biophotonics*. **11** (11) e201800023 (2018). Doi: <https://doi.org/10.1002/jbio.201800023>
11. K. Dev, U.S. Dinish, S. Chakraborty, R. Bi, S. Andersson-Engels, S. Sugii and M. Olivo, "Quantitative in vivo detection of adipose tissue browning using diffuse reflectance spectroscopy in near-infrared II window", *J. Biophotonics* **11** (12) e201800135 (2018). Doi: <https://doi.org/10.1002/jbio.201800135>
12. S. Andersson-Engels and P.E. Andersen, "Special Section on Selected Topics in Biophotonics: Optogenetics and Label-Free Optical Spectroscopy", *J. Biomed. Opt.* **71201**, 1 (2018). Doi: <https://doi.org/10.1117/1.JBO.23.7.079801>
13. R. Singh, G. Dumluçinar, S. Andersson-Engels and S. Melgar, "Emerging applications of upconverting nanoparticles in intestinal infection and colorectal cancer", *Int.J. Nanomedicine* **14**, 1027-1038 (2019) Doi: <https://doi.org/10.2147/IJN.S188887>
14. S. Konugolu Venkata Sekar, A. Pacheco Tobo, Pierluigi Martella, Haiyang Li, Pranav Lanka, Antonio Pifferi, and Stefan Andersson-Engels, "Solid phantom recipe for diffuse optics in biophotonics applications: a step towards anatomically correct 3D tissue phantoms," *Biomed. Opt. Express* **10**, (4) 2090-2100 (2019). Doi: <https://doi.org/10.1364/BOE.10.002090>
15. M. Mousavi and S. Andersson-Engels, "Potential biomedical use of diode-laser-induced luminescence from upconverting nanoparticles", *Semiconductor Lasers and Diode-based Light Sources for Biophotonics*: 291-330 (2018). Doi: http://dx.doi.org/10.1049/PBHE007E_ch9
16. "Characterization and modeling of acousto-optic signal strengths in highly scattering media" *Biomed. Opt. Express* **10** (11) 5565-5584 (2019)
17. A. Bengtsson, D. Hill, M. Li, M. Di, M. Cinthio, T. Erlöv, S. Andersson-Engels, N. Reistad, A. Walther, L. Rippe and S. Kröll, "Characterization and modeling of acousto-optic signal strengths in highly scattering media", *Biomedical optics express*, **10**(11), 5565–5584 (2019). <https://doi.org/10.1364/BOE.10.005565>
18. R. Sen, L. M. Hirvonen, A. Zhdanov, P. Svihra, S. Andersson-Engels, A. Nomerotski and D. Papkovsky, "New luminescence lifetime macro-imager based on a Tpx3Cam optical camera," *Biomed. Opt. Express* **11** (1) 77-88 (2020) doi: <https://doi.org/10.1364/BOE.11.000077>
19. S. Konugolu Venkata Sekar, P. Lanka, A. Farina, A. Dalla Mora, S. Andersson-Engels, P. Taroni and A. Pifferi. "Broadband Time Domain Diffuse Optical Reflectance Spectroscopy: A Review of Systems, Methods, and Applications", *Applied Sciences* **9** (24) 5465 (2019). <https://doi.org/10.3390/app9245465>
20. J. E. Gunther, H. Lu and S. Andersson-Engels, "Combination of diffuse reflectance and transmittance spectroscopy to obtain optical properties of liquid phantoms", *Optical Engineering* **59** (2) 024109 (2020) <https://doi.org/10.1117/1.OE.59.2.024109>
21. M. Mousavi, L. T. T. Moriyama, C. Grecco, M. Saito Nogueira, K. Svanberg, C. Kurachi and S. Andersson-Engels "Photodynamic therapy dosimetry using multiexcitation multiemission wavelength: toward real-time prediction of treatment outcome," *Journal of Biomedical Optics* **25**(6), 063812 (2020). <https://doi.org/10.1117/1.JBO.25.6.063812>

22. K. Grygoryev, K. Komolibus, J. E. Gunther, G. Nunan, K. Manley, S. Andersson-Engels, R. Burke, "Cranial Perforation Using an Optically-Enhanced Surgical Drill," *IEEE Transactions on Biomedical Engineering* **67** (12), 3474-3482 (2020). Doi: <https://doi.org/10.1109/TBME.2020.2987952>
23. H. Lu, F. Floris, M. Rensing and S. Andersson-Engels, "Fluorescence Spectroscopy Study of Protoporphyrin IX in Optical Tissue Simulating Liquid Phantoms". *Materials (Basel)* **13** (9) 2105 (2020). Doi: <https://doi.org/10.3390/ma13092105>
24. R. Sen, A. V. Zhdanov, L. M. Hirvonen, P. Svihra, S. Andersson-Engels, A. Nomerotski, D. B. Papkovsky, "Characterization of planar phosphorescence based oxygen sensors on a TCSPC-PLIM macro-image", *Sensors and Actuators B: Chemical* **321** 128459 (2020) Doi: <https://doi.org/10.1016/j.snb.2020.128459>
25. S. Andersson-Engels, P. E. Andersen, "Special Section Guest Editorial: Fluorescence Lifetime Imaging, Optical Micromechanics, and Beyond" *J. Biomedical Opt.* **25** (7), 071201 (2020) <https://doi.org/10.1117/1.JBO.25.7.071201>
26. R. Sen, A. V. Zhdanov, T.F. S. Bastiaanssen, L. M. Hirvonen, P. Svihra, P. Fitzgerald, J.F. Cryan, S. Andersson-Engels, A. Nomerotski and D. B. Papkovsky, "Mapping O₂ concentration in ex-vivo tissue samples on a fast PLIM macro-imager", *Sci Rep* **10**, 19006 (2020). <https://doi.org/10.1038/s41598-020-75928-3>
27. A. Pacheco Tobo, H. Li, M. Chakravarty, S. Konugolu Venkata Sekar and S. Andersson-Engels, "Anthropomorphic optical phantom of the neonatal thorax: a key tool for pulmonary studies in preterm infants", *J. Biomed. Opt.* **25** (11) 115001 (2020) Doi: <https://doi.org/10.1117/1.JBO.25.11.115001>
28. M. Saito Nogueira, S. Maryam, M. Amissah, H. Lu, N. Lynch, S. Killeen, M. O'Riordain and S. Andersson-Engels, "Evaluation of wavelength ranges and tissue depth probed by diffuse reflectance spectroscopy for colorectal cancer detection" *Sci Rep* **11** (798) (2021). <https://doi.org/10.1038/s41598-020-79517-2>
29. H. Lu, K. Grygoryev, N. Birmingham, M. Jansen, M. O'Sullivan, G. Nunan, K. Buckley, K. Manley, R. Burke and S. Andersson-Engels, "Combined autofluorescence and diffuse reflectance for brain tumour surgical guidance: initial ex vivo study results", *Biomed. Opt. Express* **12** (4) 2432-2446 (2021) <https://doi.org/10.1364/BOE.420292>
30. J. E. Gunther, B. Jayet, A. Jacobs, R. Burke, J.M. Kainerstorfer and S. Andersson-Engels, "Effect of the presence of amniotic fluid for optical transabdominal fetal monitoring using Monte Carlo simulations" *J. Biophotonics* **14** (9) e202000486 Doi: <https://doi.org/10.1002/jbio.202000486>
31. M. Saito Nogueira, M. Raju, K. Komolibus, K. Grygoryev and S. Andersson-Engels, "Assessment of tissue biochemical and optical scattering changes due to hypothermic organ preservation: a preliminary study in mouse organs" *J. Phys. D:Appl. Phys.* **54** (37) 374003 (2021). Doi: <https://doi.org/10.1088/1361-6463/ac0c4c>
32. M. Saito Nogueira, M. Raju, J. E. Gunther, S. Maryam, M. Amissah, H. Lu, S. Killeen, M. O'Riordain and S. Andersson-Engels, "Tissue biomolecular and microstructure profiles in optical colorectal cancer delineation" *J. Phys. D:Appl. Phys.* **54** (45) 454002 (2021) Doi: <https://doi.org/10.1088/1361-6463/ac1137>
33. K. Komolibus, C. Fisher, J. Swartling, S. Svanberg, K. Svanberg and S. Andersson-Engels, "Perspectives on interstitial photodynamic therapy for malignant tumors", *J. Biomed. Opt.* **26** (7) 070604 (2021). Doi: <https://doi.org/10.1117/1.JBO.26.7.070604>
34. K. Grygoryev, H. Lu, C.L. Li, A.V. Zhdanov, R. Burke and S. Andersson-Engels, "Multi-spectral clinical prototype for fluorophore detection", *Front. Phys.* **9** 476 (2021). Doi: <https://doi.org/10.3389/fphy.2021.724962>
35. A. Pacheco Tobo, K. Grygoryev, W. Messina and S. Andersson-Engels, "Lung tissue phantom mimicking pulmonary optical properties, relative humidity, and temperature: a tool to analyze the changes in oxygen gas absorption for different inflated volumes", *J. Biomed. Opt.* **27** (7), 074707 (2021). Doi: <https://doi.org/10.1117/1.JBO.27.7.074707>
36. C. Fisher, J. Harty, A. Yee, C. L. Li, K. Komolibus, K. Grygoryev, H. Lu, R. Burke, B. C. Wilson and S. Andersson-Engels, "Perspective on the integration of optical sensing into orthopedic surgical devices", *J. Biomed. Opt.* **27** (1) 010601 (2022). Doi: <https://doi.org/10.1117/1.JBO.27.1.010601>
37. J.S. Matias, K. Komolibus, S. Konugolu Venkata Sekar and S. Andersson-Engels, "Evaluation of relative beam-profile-compensated quantum yield of upconverting nanoparticles over a wide dynamic range of power densities" *J. Nanoscale* **14** 2230-2237 (2022) Doi: <https://doi.org/10.1039/D1NR06129A>
38. A. Pacheco, K. Grygoryev, W. Messina, S. Andersson-Engels, "Lung tissue phantom mimicking pulmonary optical properties, relative humidity, and temperature: a tool to analyze the changes in oxygen gas absorption for different inflated volumes" *J. Biomed. Opt.* **27**(7) 074707 (1 November 2021) Doi: <https://doi.org/10.1117/1.JBO.27.7.074707>
39. M. Saito Nogueira, M. Amissah, S. Maryam, N. Lynch, S. Killeen, M.O'Riordain, S. Andersson-Engels, "Optimization of tissue classification for colorectal cancer detection using support vector machines and diffuse reflectance spectroscopy" *Proc. SPIE* 11919, *Translational Biophotonics: Diagnostics and Therapeutics*, 1191929 (7 December 2021); <https://doi.org/10.1117/12.2615033>
40. A. Pacheco, B. Jayet, E.K. Svanberg,, H. Dehghani, E. Dempsey, S. Andersson-Engels, "Numerical investigation of the influence of the source and detector position for optical measurement of lung value and oxygen content in perterm infants", *J. Biophotonics* 2022, 15(7), e202200041. Doi: <https://doi.org/10.1002/jbio.202200041>
41. J.E. Gunther, B. Jayet, S. Konugolu Venkata Sekar, J.M. Kainerstorfer, S. Andersson-Engels, "Review of optical methods for fetal monitoring in utero" *J. Biophotonics* 2022, 15(6), e202100343.Doi: <https://doi.org/10.1002/jbio.202100343>
42. J. Panaviene, A. Pacheco, C.E. Schwarz, K. Grygoryev, S. Andersson-Engels, E.M.Dempsey, "Gas in scattering media absorption spectroscopy as a potential tool in neonatal respiratory care" *Pediatr Res* **92**, 1240–1246 (2022). Doi: <https://doi.org/10.1038/s41390-022-02110-y>

43. M. Saito Nogueira, S. Maryam, M. Amissah, A. McGuire, C. Spillane, S. Killeen, S. Andersson-Engels, M. O'Riordain, "Insights into Biochemical Sources and Diffuse Reflectance Spectral Features for Colorectal Cancer Detection and Localization" *Cancers* **2022**, *14*, 5715. DoiL <https://doi.org/10.3390/cancers14225715>
44. S. Konugolu Venakata Sekar, J.S. Matias, G. Dumluipinar, L. Niemitz, M. Mousavi, K. Komolibus, S. Andersson-Engels, "Multi-variable compensated quantum yield measurements of upconverting nanoparticles with high dynamic range: a systematic approach" *Opt. Express* **30**, 16572-16584 (2022) Doi: <https://doi.org/10.1364/OE.452874>